EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("5848405").PN.	USPAT; USOCR	OR	OFF	2007/07/12 11:02
S2	2	(("5848405") or ("6161103")).PN.	USPAT; USOCR	OR	OFF	2007/07/12 11:02
S3	18584	database near (query$3 statement$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 16:27
S4	151	database near (query$3 statement$1) and (recovery with log$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 16:27
S5	92	database near (query$3 statement$1) and (recovery with log$1) and change with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 16:28
S6	50	database near (query$3 statement$1) and (recovery with log$1) and (copy$3) and (source and destination) and change with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 16:29
S8	0	database near (query$3 statement$1) and (recovery with log$1) and (copy$3) with (source with destination) and change with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 16:29
S9	1	database near (query$3 statement$1) and (recovery with log$1) and (cop$4) with (source with destination) and change with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 16:30

S14	756	(captur$3 or copy$3) with (change near data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 16:36
S15	65	(captur$3 or copy$3) with (change near data) and recovery with log$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 16:36
S16	21	(captur$3 or copy$3) with (change near data) and recovery near log$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 16:36
S17	9	(change near data) with recovery near log$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/19 15:29
S18	1453	oltp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:07
S19	12	(oltp with recover$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:07
S20	576	(back$up) with recover$3 with log$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:21
S21	67	(back$up) with (recover$3 near log$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:21

S22	17	(back$up) with (recover$3 near log$4) and (source with (target or destination))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:22
S23	33	(oltp and (recover$3 near log$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:29
S24	13	(oltp and (recover$3 near log$1)) and source with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:33
S25	77	(oltp and (recover$3 with log$1)) and databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:42
S26	4	(oltp and (recover$3 with log$1)) same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:42
S27	1	("5680610").PN.	USPAT; USOCR	OR	OFF	2008/10/29 14:47
S28	864	(recover$3 near log$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:56
S29	91	(recover$3 near log$1) and (extract$3 or copy$3) with data with (log)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:57
S30	71	(recover$3 near log$1) and (extract$3 or copy$3) with data with (log) and stor$3 with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:57

S31	9	(recover$3 near log$1) and (extract$3 or copy$3) with data with (log) and stor$3 with database with change with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:57
S32	1	("7076508").PN.	USPAT; USOCR	OR	OFF	2008/11/17 09:53
S33	19	("20050138085" | "4853843" | "5440727" | "5491819" | "5499367" | "5628006" | "5675791" | "5878414" | "5890154" | "5946689" | "5966706" | "5991771" | "6192365" | "6671686" | "6856993"). PN. OR ("7076508").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 09:56
S34	172	database near (query$3 statement$1) and (recovery with log$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 10:45
S35	40	database near (query$3 statement$1) and (recovery with log$1) and ((target or destination) with (databases or db$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 10:46
S36	38	database near (query$3 statement$1) and (recovery with log$1) and ((target or destination) with (databases or db$1)) and (stag$3 or buffer$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 11:51
S37	36	database near (query$3 statement$1) and (recovery with log$1) and ((target or destination) with (databases or db$1)) and (staging or buffer$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 11:52
S38	4	(("5926819") or ("6125360") or ("5553279") or ("5280612")).PN.	USPAT; USOCR	OR	OFF	2008/11/17 13:41
S39	82	(recovery with log$1) and ((target or destination) with (databases or db$1)) and (staging or buffer$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 14:20

S40	16	(recovery with log$1) and ((target or destination) with (databases or db$1)) and (staging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 14:20
S41	60	(recovery with log$1) and ((insert$3 or updat$3) with change$1) and (staging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 14:22
S42	17	(recovery with log$1) and ((insert$3 or updat$3) with change$1 with tables) and (staging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 14:22
S43	54	(recovery with log$1) and ((insert$3 or updat$3) with change$1 with tables)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 14:25
S45	167	(recovery with log$1) and (updat$3 with (pluralit$3 or multiple) with database$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 14:44
S46	44	(recovery with log$1) and (updat$3 with (pluralit$3 or multiple) with database$1) and copy$3 with change$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 14:44
S47	44	(recovery with log$1) and (updat$3 with (pluralit$3 or multiple) with database$1) and copy$3 with change$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 14:44
S48	1	(recovery with log$1) and (updat$3 with (pluralit$3 or multiple) with database$1) and copy$3 with change$1 and oltp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 14:44

S49	5	(recovery with log$1) and (updat$3 with (pluralit$3 or multiple) with database$1) and staging	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 15:21
S50	63	(log$1) and (updat$3 with (pluralit$3 or multiple) with database$1) and staging	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 15:22
S51	5	(recover$3 with log$1) and (updat$3 with (pluralit$3 or multiple) with database$1) and staging	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 15:23
S52	15	(log$1) and (updat$3 with (pluralit$3 or multiple) with database$1) and staging and copy$3 with change$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 15:23
S53	110	(recover$3 near log$1) with change$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 15:43
S54	66	(recover$3 near log$1) with change$1 and cop$3 with change$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 15:43
S55	65	(recover$3 near log$1) with change$1 and cop$3 with change$1 and ((plurality or multiple) (databases or target or destination))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 15:44
S56	14	(recover$3 near log$1) with change$1 and cop$3 with change$1 and ((plurality or multiple) with(databases or target or destination))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 15:44

S57	14	(recover$3 near log$1) with change$1 and cop$3 with change$1 and ((plurality or multiple) with (databases or target or destination))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 15:44
S58	43	(recover$3 near log$1) with change$1 with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 15:54
S59	19	cop$3 with (recover$3 near log$1) with change$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 15:58
S63	54	cop$3 with (recover$3 with log$1) with change$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 16:14
S64	28	cop$3 with (recover$3 with log$1) with change$1 and update with (target or destination or database$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 16:14
S65	32	cop$3 with (recover$3 with log$1) with change$1 and updat$3 with (target or destination or database$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/17 16:14
S66	33	oltp and recover$3 near log	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 14:57
S67	63070	oltp and (recover$3 near log) or (change near data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 15:03

S68	43	oltp same((recover$3 near log) or (change near data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 15:04
S69	1	oltp same((recover$3 near log) or (change near data)) and sql with cop$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 15:06
S70	1	oltp same((recover$3 near log) or (change near data)) and sql with cop$4 and chang$3 same group$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 15:24
S71	14	oltp and (recover$3 near log) and (change near data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 14:17
S72	1	("5280612").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/12 14:19
S73	1	("7043485").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/12 15:34
S74	80	oltp and (recover$3 with log) and (change with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 19:47
S75	67	oltp and (recover$3 with log) and (change with data) and group$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 19:50
S76	9	oltp and (recover$3 with log) and (change with data) and group$3 with table$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 19:50
S77	19	("5204958" | "5301288" | "5390315" | "5581750" | "5664160" | "5675585" | "5687343" | "5727196" | "5745894").PN. OR ("5848405").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/12 19:51

S78	11	oltp and (change with data) and norcott	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 20:02
S79	32	olap and change with data and group$3 with change with table$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 16:04
S80	1	olap same recover$3 and change with data and group $3 with change with table $1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 16:05
S81	1	("7111023").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/08 16:17
S82	1	("6999977").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/08 16:17
S83	1	("20040252692").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/08 16:31
S84	1	("6383078").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/11 17:10
S85	5	(NORCOTT near WILLIAM) and (oltp and recover$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/11 17:40
S86	38670	((707/1-3,100,201,202,204) or (711/112,202)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/11 17:55
S87	27	(captur$3 or copy$3) with (change near data) and recovery near log$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/11 17:56
S88	11	S86 and S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/11 17:56

EAST Search History (Interference)

< This search history is empty>

9/12/2009 1:05:31 PM

C:\ Documents and Settings\ usaeed\ Desktop\ East work Spaces\ 09863419.wsp